

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Iodine(V) oxide

1. Product and Company Identification

Trade Name: Iodine(V) oxide

Chemical Formula: I₂O₅

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger





Hazard Statements: H272 May intensify fire; oxidizer

H314 Causes severe skin burns and eye damage

Precautionary Statements: P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/

hearing protection/...

Response

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P316 Get emergency medical help immediately. P321 Specific treatment (see ... on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P317 Get medical help.

3. Composition

Chemical Family: Ceramic
Additional Names: Iodine oxide

Iodine(V) oxide (I2O5):

Percentage: 100 wt% CAS #: 12029-98-0 EC #: 234-740-2

4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None **Important Symptoms:** None Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult. Seek Medical Attention. Ingestion: Skin: Wash affected area with mild soap and water. Remove any contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove Eyes: contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Flammability: Non-flammable CO2, dry chemical, dry sand, alcohol-resistant foam. Extinguishing Media: Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products. 6. Accidental Release Measures If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. **Environmental Precautions:** Isolate runoff to prevent environmental pollution. 7. Handling and Storage Handling Conditions: Handle under dry protective gas. Wash thoroughly after handling. Store in a cool dry place in a tightly sealed container. Store under dry **Storage Conditions:** inert gas. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before Work/Hygienic Maintenance: eating and smoking. Do not blow dust off clothing or skin with compressed air. Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit. 8. Exposure Controls and Personal Protection Permissible Exposure Limits: N/A Threshold Limit Value: N/A Special Equipment: **Respiratory Protection:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Protective Gloves:** Nitrile rubber, NBR 0.11mm thick. Eye Protection: Safety glasses or goggles **Body Protection:** Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics			
Color	Off-white		
Form:	Powder, Solid		
Odor:	N/A N/A N/A >300-350°C N/A N/A 5.08 g/cc		
Water Solubility:			
Boiling Point:			
Melting Point:			
Flash Point:			
Autoignition Temperature:			
Density:			
Molecular weight:	333.81g/mol		
	10. Reactivity		
Stability:	Stable under normal conditions. Decomposes on exposure to light.		
Reacts With:	Oxidizer: Contact with combustible/organic material may cause fire		
Incompatible Conditions:	Strong acids, Strong reducing agents, Finely powdered metals,		
1	Combustible material		
Hazardous Decomposition Products:	Hydrogen iodide		
Potential Health Effects: Eyes: Skin: Ingestion: Inhalation: Chronic: Signs & Symptoms: Aggravated Medical Conditions:	May cause irritation N/A N/A N/A		
Median Lethal Dose:	N/A		
Carcinogen:	N/A		
	12. Ecological Information		
Aquatic Toxicity:	Low		
Persistent Bioaccumulation Toxicity:	No		
Very Persistent, Very Bioaccumulative:			
Notes:	N/A		
	13. Disposal Considerations		

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous for transportation.



Hazard Class: 5.1(8)
Packing Group: III
UN Number: UN3085

Proper Shipping Name: Oxidizing solid, corrosive, n.o.s.

	15. Regulatory Information	
Sec 302 Extremely Hazardous: Sec 304 Reportable Quantities: Sec 313 Toxic Chemicals:	No N/A No	
	16. Other Information	<u> </u>

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/15/2017